

# MITYLITE®

DURABLE LIGHTWEIGHT TABLES

# **ABS ROUND**



5

The proprietary edge construction of the MityLite ABS Round Table is three times more durable than leading competitors. A wide variety of round and specialty sizes are available for space-saving setups or unique configurations. MityLite ABS tables are perfect for high-use, high-turn areas and provide years of reliable service.\*

1

# **PRODUCT FEATURES**

- Supports more than 2,000 lbs (907kgs)
- Durable, lightweight design
- Variety of leg options available
- Moderate heat shield subsurface
- Stain-resistant tabletop wipes clean
- MITY-EDGE™ is 3X more durable than competitors
- Table legs fold for easy handling & storage
- Non-marring glides

#### ABS TABLETOP COLOR OPTIONS

TEXTURED TABLETOP FINISHES









SMOOTH TABLETOP FINISHES (CUSTOM)





Note: SMOOTH Finish is an additional upcharge

# LEG FINISH OPTIONS











2

4







#### TABLE TOP

Surface is formed from highimpact ABS plastic and is permanently bonded to the internal wood laminate core. A variety of smooth and textured finishes are available.

#### TABLE EDGE

Round tables are equipped with Mity-Edge, which lasts 3X longer than leading competitors'. It is made of ABS plastic and is bonded to the entire interior perimeter of the table. A finished bumper is also chemically welded to the exterior perimeter of the table, creating a moisture-resistant barrier. This bumper also accepts standard skirting clips.



#### TABLE LEGS

Reinforced wishbone legs are welded to the cross and top bars. Legs are 29" to 30" with nylon or steel closures for floor protection. Legs fold and lock with a gravity-operated steel ring. Folding mechanism consists of 2 Z-bars and a U-channel.

#### FRAME

Frame & legs are constructed of steel. Steel is powdered coated to increase durablity & is scratch resistant.



#### UNDERSURFACE

Bottom of table is formed from high-impact ABS plastic and is permanently bonded to the internal wood laminate core and hard wood frame. (Gray undersurface shown.)



#### INTERNAL WOOD CORE

A 0.10"-0.14" [2.5mm - 3.6mm] thick wood laminate layer is permanently bonded to both top and bottom ABS plastic. Laminate core keeps table flat and provides a moderate heat shield.



# **WOOD FRAME**

An internal hardwood frame is constructed of runners and cross members for additional strength, stability, and performance. The amount of wood varies depending on the size of the table.



# LEG ASSEMBLY

Leg assemblies are mounted to the internal wood frame using steel clamps. Clamps, folding mechanism, and brackets are secured into "T-Nut" type fasteners. "T-Nut" fasteners are pressed into frame and have anti-spin prongs.




# **AVAILABLE DIMENSIONS**

| DIAMETERS    |
|--------------|
| 24" (61 cm)  |
| 30" (76 cm)  |
| 36" (91 cm)  |
| 42" (107 cm) |
| 48" (122 cm) |
| 54" (137 cm) |
| 66" (168 cm) |
| 72" (183 cm) |

# **SPECIFICATIONS**

| DIAMETER                   | HEIGHT      | WEIGHT         |
|----------------------------|-------------|----------------|
| 72" (183 cm) Round         | 29" (73 cm) | 81 lbs (37 kg) |
| 66" (168 cm) Round         | 29" (73 cm) | 71 lbs (32 kg) |
| 60" (152 cm) Round         | 29" (73 cm) | 59 lbs (27 kg) |
| 54" (137 cm) Round         | 29" (73 cm) | 49 lbs (22 kg) |
| 48" (122 cm) Round         | 29" (73 cm) | 41 lbs (19 kg) |
| 48" (122 cm) Plycore Round | 29" (73 cm) | 48 lbs (22 kg  |
| 42" (107 cm) Plycore       | 29" (73 cm) | 45 lbs (21 kg) |
| 36" (91 cm) Plycore        | 29" (73 cm) | 26 lbs (12 kg) |
| 30" (76 cm) Plycore        | 29" (73 cm) | 24 lbs (11 kg) |
| 24" (61 cm) Plycore        | 29" (73 cm) | 15 lbs (7 kg)  |

# LEG OPTIONS



# **CARTS**

Our lightweight, easy-rolling XpressPort carts or Mitylite Carts are the perfect partners to get our ABSI tables where they need to go quickly and extend the life of the table.



XPRESSPORT 31" WIDE CART HOLDS 8 TABLES

XPRESSPORT 38" WIDE CART HOLDS 10 TABLES



CT CART STACKING\*\* HOLDS 10 TABLES



CT CART EDGE NARROW HOLDS 6 TABLES

CT CART EDGE WIDE HOLDS 12 TABLES



CT CART SMALL HOLDS (20) 24", 30", 36" TABLES



CT CART X-LEG HOLDS 8 TABLES



\*\*X-BASE—STACKING

REQUIRED FOR CT
STACKING CARTS
(UP TO 3 HIGH)



CT/RT CART 12 KNOCK-DOWN HOLDS 12 TABLES



CT/RT CART 24 KNOCK-DOWN HOLDS 24 TABLES



#### WARRANTY

MityLite, Inc. warrants its ABS tables to be free from defects in materials and workmanship under normal use, service, and handling for fifteen (15) years from the date of purchase.

## STANDARDS

All tables meet the American National Standard Institute's stability standard: ANSI-x5.5-1989.

# SUSTAINABILITY

ABS tables are GREENGUARD Certified® and qualify for credits through LEED® and other sustainable building programs.