



HOSPITALITY / BANQUET

www.comfortek.com 1.888.678.2060





# 8851-18"

- 7/8" Steel Frame
- Multiple Steel Cross Members H Bar
- 2" High Density Foam Seat Cushion
- Plywood Seat (5/8") / Back (7/16")
- Stacking Bars
- 2 Piece Back (No Exposed Tabs)
- Handhold Easy Handling
- T-Nuts" Throughout Standard
- Lifetime Warranty on Frame
- 5 Year Warranty on Foam / Fabric
- 15 Year Warranty on Cold Cured Foam

# **OPTIONS**



# **Cold Cured Foam**

Unsurpassed comfort & durability. Foam repels water & other liquids from being absorbed into the cushion.



**Retractable Ganging** 

The retractable ganging tucks neatly underneath the frame of the chair when not in use.



Designer Fabrics

Choose from a wide variety of todays popular colors and patterns for your project.

# **SPECIFICATIONS**

CAL 117E Approved ANSI / BIFMA Approved

Stacking: 10 High


Dimensions: 18" W x 221/4" D x 36" H

Weight: 16 Lbs.

Weight Capacity: 450 Lbs.

C.O.M.: .85\* Yards

\* No Repeats on C.O.M.







HOSPITALITY / BANQUET

www.comfortek.com 1.888.678.2060







# 8851-20"

- 7/8" Steel Frame
- Multiple Steel Cross Members H Bar
- 2" High Density Foam Seat Cushion
- Plywood Seat (5/8") / Back (7/16")
- Stacking Bars
- 2 Piece Back (No Exposed Tabs)
- Handhold Easy Handling
- T-Nuts" Throughout Standard
- Lifetime Warranty on Frame
- 5 Year Warranty on Foam / Fabric
- 15 Year Warranty on Cold Cured Foam

# **OPTIONS**



#### **Cold Cured Foam**

Unsurpassed comfort & durability. Foam repels water & other liquids from being absorbed into the cushion.



#### **Retractable Ganging**

The retractable ganging tucks neatly underneath the frame of the chair when not in use.



Designer Fabrics

Choose from a wide variety of todays popular colors and patterns for your project.

# **SPECIFICATIONS**

CAL 117E Approved ANSI / BIFMA Approved

Stacking: 10 High

Dimensions: 20" W x 221/4" D x 36" H

Weight: 18 Lbs.

Weight Capacity: 450 Lbs.

C.O.M.: .90\* Yards

\* No Repeats on C.O.M.



8851-20-12/1



HOSPITALITY / BANQUET

www.comfortek.com 1.888.678.2060

