

Whether you want vinyl or fabric...are on a budget, have a specific need or just want a fresh new look...KFI has an option for you.


**Need it quick?**

Not a problem! We stock 19 standard vinyls and 57 fabrics that can be shipped in less than 2-3 weeks - many ship in 2-3 days. See our In-Stock section on pages 4-10. We also offer "grade-in" programs with Spradling, Guilford of Maine, Mayer and Momentum textiles.

KFI can also accomodate COM (Customer's Own Material)


KFI Basic Vinyl .....	66
KFI Grades 1 .....	67
KFI Grades 2 .....	67
KFI Grades 3 .....	68
Spradling Grade-in .....	69
Guilford of Maine-Grade-in .....	70 - 71
Mayer Grade-in .....	72 - 73
Momentum Grade-in .....	74 - 75
Environmental Statement .....	76
US Content .....	77
Dollies .....	77
Warranty.....	78
Weight Testing .....	78
<b>GSA Contract Details .....</b>	<b>79</b>

**Basic Vinyls**



Material: PVC Skin/Polyester Non-Woven Back, Weight: 18oz/ Linear Yard, Flammability: Cal 117; UFAC; BIFMA Class F-1

**Grade 1 FABRIC - Guilford of Maine, Style 6600:**



Material: 100% Polypropylene, Weight: 8.8 oz/ Linear Yard, Abrasion: Exceeds 30,000 Double Rubs  
 Flammability: Cal 117, Section E; UFAC Class 1; BIFMA Class FF1-78, CS-191-53, Class 1, NFPA 260-89

**Grade 2 FABRIC - Guilford of Maine, Style 5600:**



Material: 100% Recycled Polyester, Weight: 8.4 oz/ Linear Yard,  
 Abrasion: Exceeds 35,000 Double Rubs  
 Flammability: Cal 117, Section E; UFAC Class 1; NFPA 260-89  
 Treatment: BLOCKaide™

**Grade 2 FABRIC - Guilford of Maine, Style 6601:**



Treatment: BLOCKaide™



Material: 100% Polypropylene, Weight: 10.3 oz/ Linear Yard, Abrasion: Exceeds 30,000 Double Rubs  
 Flammability: Cal 117, Section E; UFAC Class 1; BIFMA Class FF1-78, CS-191-53, Class 1, NFPA 260-89

**Grade 2 FABRIC - Guilford of Maine, Style 54103:**



Material: 58% Polypropylene / 42% Recycled Polyester,  
 Weight: 8.9 oz/ Linear Yard,  
 Abrasion: Exceeds 35,000 Double Rubs  
 Flammability: Cal 117, Section E; UFAC Class 1; NFPA 260  
 Treatment: BLOCKaide™

**Grade 3 FABRIC - Johnston Textiles-Interweave:**




Material: 100% Olefin  
 Weight: 17 oz/ Linear Yard  
 Abrasion: Exceeds 175,000 Double Rubs  
 Flammability: Cal 117, Section E; UFAC Class 1; NFPA 260-89 ; BS.5852

**Grade 3 FABRIC - Johnston Textiles-Venus:**



Material: 100% Olefin  
 Weight: 14 oz/ Linear Yard  
 Abrasion: Exceeds 50,000 Double Rubs  
 Flammability: Cal 117, Section E; UFAC Class 1; ASTM E-84, Class A

**Grade 3 VINYL - Spradling, Floridian:**



Material: 100% Vinyl Surface, 100% Polyester Backing;  
 Weight: 27 oz/ Linear Yard,  
 Abrasion: CFFA-1, Federal Standard 191 A, Method 5304; Exceeds 25,000 Double Rubs  
 Flammability: Cal 117, MVSS 302

**Anti-Fungal & Anti-Bacterial Protection**

# Spradling Vinyls [www.spradlingvinyl.com](http://www.spradlingvinyl.com)

**Patriot Plus** with PERMABLOK: **Anti-Fungal & Anti-Bacterial Protection, Stain & Mildew Resistant**

Grade A



Material: 100% Vinyl, Backing: Polyester/ Cotton. Weight: 34 oz/ Linear Yard, Abrasion: Exceeds 200,000 Double Rubs  
 Flammability: Cal 117, BIFMA X5.7 Section 5-Class A, Section 4-Class I, Boston Fire Code (BFD IX-1), NFPA 260- Class 1  
 Finish: Stain and Mildew Resistant

**Renaissance:** with PERMABLOK: **Anti-Fungal & Anti-Bacterial Protection**

Grade A



Material: 100% Vinyl, Backing: 100% Polyester.  
 Weight: 32 oz/ Linear Yard  
 Abrasion: Exceeds 200,000 Double Rubs  
 Flammability: Cal 117, BIFMA X5.7 Section 5-Class A, Section 4-Class I, Boston Fire Code (BFD IX-1), NFPA 260- Class 1  
 Finish: Stain and Mildew Resistant

**Whisper Vinyl:**

Grade A



Material: 100% Vinyl, Backing: 100% Polyester. Weight: 27 oz/ Linear Yard, Abrasion: Exceeds 100,000 Double Rubs  
 Flammability: Cal 117, BIFMA X5.7 Section 5-Class A, Section 4-Class I, NFPA 260- Class 1  
 Finish: Stain and Mildew Resistant


**Open House:** 100% Recycled Polyester (Weight: 12.4 oz/ Linear Yard, Abrasion: Exceeds 250,000 ; Flam: Cal 117, NFPA 260)

Grade A




**Lifesaver:** 100% Recycled Polyester (Weight: 10.2 oz/ Linear Yard, Abrasion: Exceeds 40,000 ; Flam: Cal 117, NFPA 260)

Grade A



**Jane:** 100% Recycled Polyester (Weight: 9.7 oz/ Linear Yard, Abrasion: Exceeds 50,000 ; Flam: Cal 117, NFPA 260)

Grade A




**Telegraph:** 100% Recycled Polyester (Weight: 11 oz/ Linear Yard, Abrasion: Exceeds 50,000 ; Flam: Cal 117, NFPA 260)

Grade A




**Soundbyte:** 100% Recycled Polyester (Weight: 10.3 oz/ Linear Yard, Abrasion: Exceeds 30,000 ; Flam: Cal 117, NFPA 260)

Grade A




**Punchline:** 100% Recycled Polyester (Weight: 12.9 oz/ Linear Yard, Abrasion: Exceeds 100,000 ; Flam: Cal 117, NFPA 260)

Grade A




**Whirl:** 100% Recycled Polyester (Weight: 11 oz/ Linear Yard, Abrasion: Exceeds 50,000 ; Flam: Cal 117, NFPA 260)

Grade A




**Rock Star:** 100% Recycled Nylon (Weight: 13.9 oz/ Linear Yard, Abrasion: Exceeds 1250,000 ; Flam: Cal 117, NFPA 260)

Grade B




**Echo:** 100% Recycled Polyester (Weight: 10 oz/ Linear Yard, Abrasion: Exceeds 100,000 ; Flam: Cal 117, NFPA 260)

Grade B



Quattro-300: 100% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Passes 237,000; Flammability: Cal 117, NFPA 260

Grade A




Artistry-368: 100% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Passes 60,000; Flammability: Cal 117, NFPA 260

Grade A




Mosaic-349: 57% Cotton, 43% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Passes 100,000; Flammability: Cal 117, NFPA 260

Grade A





Mum-337: 58% Cotton, 42% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Exceeds 78,000; Flammability: Cal 117, NFPA 260

Grade A





Cross Check-299: 100% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Passes 258,000; Flammability: Cal 117, NFPA 260

Grade A




Amulet-336: 58% Cotton, 42% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Exceeds 30,000; Flammability: Cal 117, NFPA 260

Grade A



Hoopla-369: 100% Recycled Polyester, **GREENGUARD CERTIFIED**; Abrasion: Passes 50,000; Flammability: Cal 117, NFPA 260

Grade A



Tendril-339: 54% Cotton, 46% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Exceeds 99,000; Flammability: Cal 117, NFPA 260

Grade A



Lunar-334: 100% Recycled Polyester, **GREENGUARD CERTIFIED**; Abrasion: Exceeds 70,000; Flammability: Cal 117, NFPA 260

Grade B




Finale-WC777, Crypton: 100% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Exceeds 250,000; Flammability: Cal 117, NFPA 260

Grade C



**Expo:** 100% Recycled Polyester, **GREENGUARD CERTIFIED**; Abrasion: Passes 102,000; Flammability: Cal 117, NFPA 260

Grade A



**Context:** 100% Recycled Polyester, **GREENGUARD CERTIFIED**; Abrasion: Passes 57,000; Flammability: Cal 117, NFPA 260

Grade A





**Axis:** 100% Recycled Polyester, **GREENGUARD CERTIFIED**; Abrasion: Passes 90,000; Flammability: Cal 117, UFCA Class 1

Grade A





**Trek:** 100% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Exceeds 60,000; Flammability: Cal 117, UFAC, ASTM E84

Grade A



**Interval:** 100% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Passes 50,000; Flammability: Cal 117, UFAC, NFPA 260

Grade A




**Tangent:** 100% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Exceeds 100,000; Flammability: Cal 117, UFAC, NFPA 260

Grade B



**Moda:** 13% Cotton / 87% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Passes 102,000; Flammability: Cal 117, NFPA 260

Grade A




**Core:** 50% Recycled Polyester, 50% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Exceeds 150,000; Flammability: Cal 117, NFPA 260

Grade A




**Sector:** 62% Polyester / 38% Cotton, **GREENGUARD CERTIFIED**; Abrasion: Exceeds 51,000; Flammability: Cal 117, UFAC

Grade B



**Knack:** 100% Polyester, **GREENGUARD CERTIFIED**; Abrasion: Exceeds 100,000; Flammability: Cal 117, UFAC, NFPA 260

Grade B



## Your environmentally friendly seating and stacking solution!

At KFI we are very conscious of the environmental issues we all face. KFI takes every step possible to recycle, reuse and reduce waste. We feel it's incumbent upon all of our employees and vendors to be good stewards of the environment and conduct our business in a responsible manner. We strive to produce high quality products with a minimum impact on the environment. We feel this is not only an investment in our company's future...but an investment in the future of our planet. If you would like us to build a chair for you that has minimal environmental impact, the following options are available:

The environmental attributes listed below can apply to the following KFI Series: 300, 400, 500, 800, 900, 1000, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 2000, 2100, 3200, 3300, 3400, 3700, 3800, 3900, 4700, 6100 and 6200.



Chair is 95% recyclable after its useful life.\*

**FRAME:**

-FINISH: Offered in powder-coat finishes with no solvents


-STEEL: Some steel components contain pre-consumer and post-consumer recycled content. (Call for information on specific models)

**FABRIC:**

Some upholstery is better for the environment than others. KFI offers a variety of products from Guilford of Maine, Mayer and Momentum that are made with recycled or renewable polyester and have a reduced environmental impact vs. other fabrics. Please see pages 68-75 for more details.

**SUSTAINABILITY:**

Life cycle considerations are important when we develop products...so KFI builds them to last! All of our products carry at least a 5 year frame warranty. We also offer replacement seats, backs and parts. This helps extend the life-cycle and reduce waste.



**GREEN FOAM:**

Manufactured using an emission-free process. This foam is also made with plant based raw materials and organic, halogen-free fire retardants, significantly reducing the amount of petroleum-based products.

**WOOD:**

Harvested from sustainable forest - no "old growth" source content. Many seat and back components are made with post consumer wood waste (recycled wood). Our components also meet Phase One of the California CARB Standards.

GREEN FOAM describes the environmental attributes, not the color.

\*Percentage may depend on local programs.



At KFI, we make every effort to utilize American suppliers and resources in our manufacturing process.

As a result, many of our products are manufactured or assembled in the USA. If you are interested in purchasing a product that has "US Content" look for the flag or call us for details.



KFI's 150,000 sq ft facility is located in an "Historically Underutilized Business" district (HUB Zone) of Louisville, Kentucky.

Dollies



**Universal Dolly #DLY-UNV-**  
19" to 23"W x 22"D x 4"H  
Universal Chair Dolly fits all KFI Models  
Except the 300 and 2100 Series. See  
Page 13 for 300 Series Chair Dolly.



**Truck Dolly #DLY-TRK-**  
Accepts all KFI Chair Models  
except 300 and 2100 Series  
Models. Assembly required.



### KFI Limited Warranty

All KFI chair frames and table bases are warranted against defects for (12) years from the original purchase date. 300 and 400 Series chair frames are warranted against defects for (5) years from the original purchase date. TK2000 & DS2000 - (2) Year Warranty on lift mechanisms.

KFI guarantees all products to be free from defects in original material and/or workmanship for one (1) year from the original purchase date.

This warranty is void if the product is not used for its intended purpose or if subjected to an unusual application or abuse. This warranty does not cover normal wear and tear. Variation in the color and/or texture of a material is not considered a defect.

This warranty is valid to any purchaser of KFI furniture. In the event of a claim, the purchaser may be required to validate their purchase by furnishing a copy of the original invoice for the product in question.

The KFI Service Department may issue a return authorization for the investigation of the claim. The purchaser may then be required to return the product to KFI, freight prepaid. If the claim is proven valid, KFI will without further cost to purchaser repair, or replace, at KFI's option, the appropriate defective part.



Chairs with this symbol have been load tested for 400 pounds or more.



## Ordering Information:



### GENERAL SERVICES ADMINISTRATION

#### Federal Supply Service

##### Authorized Federal Supply Schedule Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through:

**GSA Advantage!** A menu-driven database system. The INTERNET address for **GSA Advantage!** is: [www.gsadvantage.gov](http://www.gsadvantage.gov).

##### Schedule Title:

Furniture - FSC Group 71 Furniture  
FSC Class(es): 7105, 7110, 7125, 7195 & 7195

##### Contract Numbers:

GS-28F-0023W & GS-28F-0052W

##### Contract Period:

February 26, 2010 through February 25, 2015

For more information on ordering from Federal Supply Schedules click on the **FSS Schedules** button at [fss.gsa.gov](http://fss.gsa.gov)

##### Contractor:

KFI Seating, Inc.  
1533 Bank Street  
Louisville, KY 40201  
Phone: 1-800-457-5073  
Fax: 502-585-4676  
Web Site: [www.kfiseating.com](http://www.kfiseating.com)

##### Contract Administration:

North American Marketing, Inc.  
2127 Espy court, Suite 220  
Crofton, MD 21114  
Phone: 410-721-8803  
Fax: 410-721-0079

##### Business Size: **Small Hub Zone**

##### 1a. Awarded Special Item Numbers:

SIN 71-302 Training Room, Auditorium and Theater Seating  
SIN 71-11 Tables and Accessories  
SIN 711-17 Upholstered Furniture  
SIN 711-18 Multipurpose Seating  
SIN 711-19 Stacking Chairs  
SIN 711-308 Cafeteria & Food Service Furniture (GS-28F-0052W)

2. **Maximum Order:** \$75,000.00

3. **Minimum Order:** \$100.00 (net)

4. **Geographic Coverage:** Continental US, Lower 48 States

5. **Point of Production:** Louisville Kentucky

6. **Discount:** 60.7%

7. **Quantity discounts:** Call for special pricing

8. **Prompt Payment Terms:** Net 30 days

**Contact Customer Service for Quotes:  
1-800-457-5073 or [swilliamson@kfiseating.com](mailto:swilliamson@kfiseating.com)**

9a. **Government Purchase cards are accepted at or below the micro purchase threshold.**

9b. **Government Purchase cards are accepted above the micro purchase threshold.**

##### 10. Foreign Items:

KFI Seating products are "Domestic End Products"

11.

##### a. Time of Delivery:

60 Days after receipt of order.

##### b. Expedited time of delivery:

3 days ARO for in-stock items

##### 12. FOB Terms:

Orders under \$1,500 list are charged a flat \$80 shipping charge, Orders over \$1,500 list are FOB Destination. (Dock to Dock)

##### 13a. Ordering Address:

KFI Seating, Inc.  
1533 Bank Street  
Louisville, KY 40201  
Phone: 1-800-457-5073  
Fax: 502-585-4676  
Web Site: [www.kfiseating.com](http://www.kfiseating.com)

##### 13b. Ordering Procedures:

For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

##### 14. Payment Address:

KFI Seating, Inc.  
1533 Bank Street  
Louisville, KY 40201

15. **Warranty Provision:** Standard 12 year commercial warranty

16. **Export Packaging Charges:** Call for quote.

17. **Terms & Conditions for government purchase cards:** N/A

18. **Terms & Conditions of rental, maintenance & repair:** N/A

19. **Installation:** Quoted on a job-by-job basis.

20. **Repair Parts:** Call for pricing

20a. **Other Services:** Call for pricing on other services

##### 21. Service & Distribution Points:

Call for location of authorized servicing dealer.

##### 22. Participating Dealers:

Call for information for servicing dealer for your area.

##### 23. Preventive Maintenance:

Call for instructions for Care & Use of KFI Seating products

##### 24a. Special attributes such as environmental attributes:

KFI Seating will seek actively to reduce its impact on the environment to the lowest practicable level by ensuring that all operations and activities of the company employ the best practice in respect to the environment. Any threat of pollution from its activities will be identified and either eliminated or controlled effectively.

25. **DUNS Number:** 09-327-4926

26. **KFI Seating is registered in the Central Contractor Registration (CCR) database.**