



HPFi



NOW

Accelerated Response Upholsteries





Index

Grade 1

3 Crosscheck
3 Dillon
4 Dorset
4 Expo
5 Quattro
5 Yosemite

Grade 2

6 Fedora
7 Foundation 10
8 Fuse
8 Hathaway
9 Linette
9 Origin
10 Punch Card
10 Truman

Grade 3

11 Beehave
11 Cadence
12 Castillo
12 Epic
13 Infinity
13 Marathon
14 Odyssey
14 Stencil
15 Staple
15 Tradition

Grade 4

16 Blip
16 Citadel
17 Free
17 Invasion
18 Knack
18 Laredo
19 Lens
19 Lineup
20 Sequins
20 Silvertex

Grade 5

21 Align
21 Artisan
22 Carlisle
22 Channel
23 Charlotte
23 Cover Cloth
24 Edurance EPU
24 Nishiki
25 Orbit
25 Retrograde
26 Riddle
26 Toggle
27 Symphony Classic

Grade 6

28 Faux Felt
28 Mogul EPU
29 Maxwell
29 Touch Base

Grade 7

30 Etch
30 Perimeter
31 Sideline
31 Tattersall

Grade 8

32 Network
32 Semaphore
33 Solitaire
33 Waver

Grade 9

34 Revolution
34 Tangram
35 Silica
35 Silica Leather
35 Silica Tech
36 Promessa
36 Ultraleather Pro

Grade 10

37 Fairy Tales
37 Jitney
38 Power Grid
38 Ring

Grade L

39 Classico
39 Baroque
39 Mammut

Look for this symbol  for upholsteries best suited for healthcare applications


HPFi

Colors are as accurate as the printing process allows. To ensure color accuracy, please order a memo sample from the supplier using the contact information listed below or through HPFI at www.hpfi.com, literature@hpfi.com or fax 336.431.0673.

CROSS CHECK




299-024 Blue Ribbon



299-023 Aquamarine



299-014 Imperial



299-003 Lime



299-026 Platinum



299-021 Red Baron



299-007 Saddle Tan



299-006 Slate Black



299-011 Vermillion

GREENGUARD GOLD CERTIFIED®

content: 100% polyester
finish: stain repellent
repeat: non-matching
durability: 258,000 double rubs
seam slippage: 62 lbs. warp / 66 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: s

MAYERFABRICS


Style Has Value

customerservice@mayerfabrics.com
 800.428.4415

DILLON



Snow



Sandy



Balsa



Tusk



Java



Straw



Fiesta



Chili



Lipstick




Cordovan




Apple Green



Sage



Stratus



Williamsburg



Ocean



Steel



Lucid



Graphite



Thunder



Black

content: 100% polyurethane
finish: antimicrobial - silver ion technology
repeat: none
durability: 200,000 double rubs
seam strength: 61 lbs. warp / 81 lbs. weft
flame retardance: ufac/nfpa class 1, cal 117-2013 section 1
cleaning: w (bleach cleanable 5:1)



CULP
CONTRACT

contract@culp.com
 336.888.6274

DORSET




Mulberry



Cherry



Denim



Ocean Blue



Blueberry



Copper



Avocado



Ash



Charcoal



Soda

content: 100% polyester
finish: i-Clean™ stain & moisture repellent
repeat: none
durability: 55,000 double rubs
seam slippage: 41 lbs warp / 38 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w

CULP
CONTRACT

contract@culp.com
 336.888.6274

EXPO



965 Fog



963 Latte



962 Leaf



966 Lemon



Oasis



960 Sky



09092675 Spirit



961 Sprout



968 Tuxedo



09092631 Zest

RECYCLED FIBER CONTENT; GREENGUARD GOLD CERTIFIED®

content: 65% post industrial recycled polyester;
 35% post consumer recycled polyester
finish: soil & stain resistant
repeat: 1/8" l x 1/8" w
durability: 102,000 double rubs
seam slippage: 29 lbs. warp / 29 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s

MOMENTUM
TEXTILES

customerservice@momtex.com
 800.366.6839

Colors are as accurate as the printing process allows. To ensure color accuracy, please order a memo sample from the supplier using the contact information listed below or through HPFI at www.hpfi.com, literature@hpfi.com or fax 336.431.0673.

QUATTRO



300-007 Chalk



300-001 Deep Crimson



300-005 Dark Orchid



300-019 Golden Orange



300-006 Granite



300-011 Hibiscus




300-016 Khaki



300-024 Laguna



300-026 Mercury



300-004 Midnight Blue



300-014 Skyway



300-003 Spring Green



300-009 Umber



300-002 Wheat

GREENGUARD GOLD CERTIFIED®

content: 100% polyester
finish: stain repellent
repeat: non-matching
durability: 237,000 double rubs
seam slippage: 31 lbs. warp / 27 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: s

MAYERFABRICS
Style Has Value

customerservice@mayerfabrics.com
 800.428.4415


YOSEMITE



Parchment



Ash



Light Brown



Earth



Silt



Raven



Oxblood

content: 100% polyurethane with 70% polyester, 30% cotton Backing
finish: antimicrobial
repeat: none
durability: 100,000 double rubs
seam strength: 61 lbs warp / 68 lbs. weft
flame retardance: ufac/nfpa class 1, cal 117-2013 section 1
cleaning: w (bleach cleanable 5:1)



CULP
CONTRACT
contract@culp.com
 336.888.6274

FEDORA

621-033 Opal



621-043 Aquamarine



621-053 Aegean



621-014 Indigo



621-004 Midnight



621-023 Eucalyptus



621-013 Citron



621-003 Cactus



621-008 Plum



621-005 Purple



621-002 Topaz



621-019 Tangelo



621-011 Tomato



621-009 Persimmon



621-001 Ruby



621-007 Winter



621-056 Dew



621-017 Fawn



621-000 Mink



621-010 Espresso



621-046 Light Grey



621-036 Dapper



621-026 Pewter



621-016 Charcoal



621-006 Bitumen


GREENGUARD GOLD CERTIFIED®

content: 100% polyester
finish: non-PFOA stain repellant
repeat: none
durability: 100,000 double rubs
seam slippage: 106.1 lbs. warp / 109.2 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w

MAYERFABRICS
Style Has Value

customerservice@mayerfabrics.com
 800.428.4415

FOUNDATION 10

				
350-053 Aegean	350-023 Apple Green	350-020 Bark	350-093 Basil	350-024 Blue Mist
				
350-027 Buckskin	350-033 Cactus	350-044 Capri	350-009 Cayenne	350-113 Celery
				
350-000 Chocolate	350-005 Concord	350-054 Cyan	350-002 Cornsilk	350-006 Ebony
				
350-011 Flame	350-026 Graphite	350-103 Grass	350-049 Marmalade	350-016 Mercury
				
350-008 Merlot	350-014 Navy	350-064 Ocean	350-034 Parade Blue	350-043 Peacock
				
350-041 Poppy	350-028 Purple Haze	350-031 Rouge	350-007 Sandstone	350-004 Sapphire
				
350-003 Sherwood	350-012 Sunflower	350-039 Tangelo	350-074 Turquoise	350-001 Wine

GREENGUARD GOLD CERTIFIED®

content: 65% pre-consumer recycled polyester;
 35% post-consumer recycled polyester
finish: stain repellent
repeat: none
durability: 1,000,000 double rubs
seam slippage: 55 lbs. warp / 52 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s

MAYERFABRICS
 Style Has Value

customerservice@mayerfabrics.com
 800.428.4415

Colors are as accurate as the printing process allows. To ensure color accuracy, please order a memo sample from the supplier using the contact information listed below or through HPFI at www.hpfi.com, literature@hpfi.com or fax 336.431.0673.

FUSE




09123321 Cress



09123409 Pristine



09123420 Saffron




09123398 Pimento



09123376 Morel



09123332 Ginger



09123310 Carmine



09123343 Iris



09123365 Malted



09123354 Lunar



09123431 Walnut



09123387 Pepper



09123299 Azurean

RECYCLED FIBER CONTENT; GREENGUARD GOLD CERTIFIED®

content: 65% post industrial recycled polyester;
35% post consumer recycled polyester
finish: soil & stain resistant
repeat: none
durability: 100,000 double rubs
seam slippage: 74 lbs. warp / 44 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s

MOMENTUM
TEXTILES

customerservice@momtex.com
800.366.6839

HATHAWAY

VINYL



Lemon



Tangerine



Fire



Raspberry



Apple



Fog



Smokey



Cafe



Aqua



Ocean



Electric Blue



Grape

content: 100% vinyl
finish: antimicrobial
repeat: none
durability: 100,000 double rubs
seam strength: 44 lbs. warp / 53 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w (bleach cleanable 5:1)

CULP
CONTRACT

contract@culp.com
336.888.6274

Grade **2**

Colors are as accurate as the printing process allows. To ensure color accuracy, please order a memo sample from the supplier using the contact information listed below or through HPFI at www.hpfi.com, literature@hpfi.com or fax 336.431.0673.

LINETTE

VINYL



content: 100% vinyl
finish: i-Clean™ anti-microbial
repeat: none
durability: 50,000 double rubs
seam strength: 88 lbs. warp / 94 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w (bleach cleanable 5:1)

CULP
CONTRACT
contract@culp.com
 336.888.6274

ORIGIN



REDUCED ENVIRONMENTAL IMPACT; GREENGUARD GOLD CERTIFIED®

content: 100% post consumer recycled polyester
finish: soil & stain resistant
repeat: none
durability: 282,000 double rubs
seam slippage: 88 lbs. warp / 79 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s

MOMENTUM
T E X T I L E S
customerservice@momtex.com
 800.366.6839


PUNCH CARD




Red



Peony



Berry




Blue Jay



Halo



Sunny



Citronelle




Dark Taupe



Earth



Quartz




Gray



Shale



Atlantic




Domino

content: 61% polyester, 39% Repreve® recycled polyester
repeat: 11" l x 7.5"w
durability: 40,000 double rubs
seam slippage: 79 lbs. warp / 63 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w

TRUMAN




Lemongrass



Tangerine



Ruby



Electric Blue



Lapis



Marsh



Molasses




Soot



Navy



Grape



Oat




Dove



Smoke



Stone



Charcoal

content: 98% polyester, 2% nylon
finish: i-Clean™ stain & moisture repellent
repeat: none
durability: 95,000 double rubs
seam slippage: 102 lbs. warp / 52 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w

CULP
CONTRACT

contract@culp.com
 336.888.6274

Grade 3

Colors are as accurate as the printing process allows. To ensure color accuracy, please order a memo sample from the supplier using the contact information listed below or through HPFI at www.hpfi.com, literature@hpfi.com or fax 336.431.0673.

BEEHAVE

Pattern Scale Shown at 50%



content: 65% pre-consumer, 35% post-consumer recycled polyester
 repeat: 1.1" l x .75" w
 finish: BLOCKaide® stain repellent
 durability: 75,000 double rubs
 seam slippage: 50 lbs. warp / 40 lbs. weft
 flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
 cleaning: w s

CADENCE

Pattern Scale Shown at 50%



content: 90% polyester, 10% recycled polyester, (acrylic backing)
 repeat: 1.5" l x 2" w
 finish: stain repellent
 durability: 100,000 double rubs
 seam slippage: 100 lbs. warp / 45 lbs. weft
 flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
 cleaning: w s



Guilford of Maine®

customer.care@guilfordofmaine.com
 800.544.0200

EPIC



09126192 Azure



09126203 Capri



09126214 Espresso



09126225 Flare



09126258 Kiwi



09126247 Granite




09126236 Jute




09126269 Limestone




09126280 Pearl



09126291 Porcini



09126302 Regal



09126313 Slice



09126324 Steel

RECYCLED FIBER CONTENT; GREENGUARD GOLD CERTIFIED®

content: 50% polyester; 32% post industrial recycled polyester;
18% post consumer recycled polyester
finish: soil & stain resistant
repeat: 3/8" l x 1/8" w
durability: 100,000 double rubs
seam slippage: 38 lbs. warp / 38 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117 section 1
cleaning: w s

MOMENTUM
T E X T I L E S

customerservice@momtex.com
800.366.6839

CASTILLO



Cream



Buttercream



Clementine



Red



Pistachio



Honeydew



Breezy



Batik



Quarry



Metal



Steel



Black

content: 100% polyurethane
87% polyester, 13% cotton backing
finish: i-Clean™ stain & moisture repellent
repeat: none
durability: 200,000 double rubs
seam slippage: 50 lbs. warp / 69 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w (bleach cleanable 5:1)

CULP
CONTRACT

contract@culp.com
336.888.6274

INFINITY



09143990 Aster



09144001 Atoll



09144012 Barley



09144034 Beyond



09144045 Capri



09144067 Eclipse



09144078 Graphite



09144122 Lemongrass



09144133 Links



09144166 Papaya



09144188 Pumice



09144199 Rinse



09144243 Terrain



09144265 Umber

**RECYCLED FIBER CONTENT; GREENGUARD GOLD CERTIFIED®;
NSF 336 COMPLIANT**

content: 74% post consumer recycled polyester;
26% polyester
finish: soil & stain resistant
repeat: 1/8" l x 5/8" w
durability: 200,000 double rubs
seam slippage: 114 lbs. warp / 97 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117 section 1
cleaning: w s

MARATHON



09143066 Alert



09143121 Cyan



09143132 Deep



09143154 Fluorite



09143176 Lantern



09144309 Marigold



09143187 Noir



09143198 Oats



09143209 Oz



09143682 Pinot



09143220 Pollen



09143693 Rain



09143242 Storm



09143715 Sunset



09143275 Wren

**RECYCLED FIBER CONTENT; GREENGUARD GOLD CERTIFIED®;
NSF 336 COMPLIANT**

content: 75% post consumer recycled polyester;
25% polyester
finish: soil & stain resistant
repeat: 1/8" l x 1/8" w
durability: 200,000 double rubs
seam slippage: 64 lbs. warp / 46 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s

**MOMENTUM
TEXTILES**

customerservice@momtex.com
800.366.6839

ODYSSEY



09143869 Captain



09140470 Carbon



09140503 Cruise



09140514 Dijon



09140525 Emerald



09140547 Ink



09143891 Inlet



09140558 Iris



09140569 Linen



09140580 Lively



09140613 Opaque



09140646 Rue



09143913 Sangria



09140679 Tinge



09140690 Western

RECYCLED FIBER CONTENT; GREENGUARD GOLD CERTIFIED®; NSF 336 COMPLIANT

content: 67% post consumer recycled polyester;
33% polyester
finish: soil & stain resistant
repeat: 1/8" l x 1/8" w
durability: 200,000 double rubs
seam slippage: 132 lbs. warp / 80 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s

MOMENTUM
TEXTILES

customerservice@momtex.com

800.366.6839

STANCIL




Slate




Belgian Flax



Barley



Dijon



Lemon Grass



Amethyst



Cayenne



Midnight



Marble



Platinum



Blue Coral



Turquoise

content: 100% polyester
finish: i-Clean™ stain & moisture repellent
repeat: none
durability: 95,000 double rubs
seam strength: 50 lbs. warp / 49 lbs. weft
flame retardance: astm e 84 class 1, ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w

CULP
CONTRACT

contract@culp.com

336.888.6274

Colors are as accurate as the printing process allows. To ensure color accuracy, please order a memo sample from the supplier using the contact information listed below or through HPFI at www.hpfi.com, literature@hpfi.com or fax 336.431.0673.

STAPLE



STP66 Mist



STP75 Tabasco




STP67 Fire



STP65 Smith



STP69 Spruce




STP64 Camel



STP62 Chamois



STP68 Morel



STP70 Tempest



STP76 Mink



STP72 Taupe



STP73 Academy



STP74 Nautical



STP78 Voyage



STP60 Raven

content: 100% polyurethane (polycarbonate & polyester resins, polyester, cotton backing)
finish: enhanced soil and stain resistance
durability: 200,000 double rubs
seam strength: 61 lbs. warp / 81 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s (bleach cleanable 4:1)



cfstinson
customerrelations@cfstinson.com
800.841.6279

TRADITION



09140195 Distant



09120206 Frond



09140261 Kelly



09140272 Latte



09144320 Malbec



09140283 Miller



09143946 Mist



09140305 Plated



09140316 Regal



09140327 Sly



09140338 Soar




09140360 Spiced



09140393 Theater



09140404 Wash



09140415 Weld

RECYCLED FIBER CONTENT; GREENGUARD GOLD CERTIFIED®;
NSF 336 COMPLIANT

content: 72% post consumer recycled polyester;
28% polyester
finish: soil & stain resistant
repeat: 1/8" l x 1/8" w
durability: 200,000 double rubs
seam slippage: 100 lbs. warp / 78 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s

MOMENTUM
T E X T I L E S

customerservice@momtex.com
800.366.6839


Colors are as accurate as the printing process allows. To ensure color accuracy, please order a memo sample from the supplier using the contact information listed below or through HPFI at www.hpfi.com, literature@hpfi.com or fax 336.431.0673.

BLIP

64241 Earth




64244 Garnet



64234 Gecko



64236 Grasshopper



64246 Maui




64237 Mineral



64242 Moonstone




64249 Ore



64238 Pebble



64240 Pumpkin



64235 Quarry



64243 Red Hot



64239 Retriever



64248 Superhero



64245 Wisteria

GREENGUARD GOLD CERTIFIED®

content: 70% polyester, 20% eco-intelligent polyester,
6% post industrial recycled polyester, 4% post consumer recycled polyester
finish: non-PFOA stain resistant
repeat: none
durability: 100,000 double rubs
seam strength: 110.7 lbs. warp / 58.2 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s

CITADEL

CIT41 Big Sky



CIT32 Argent



CIT33 Brick



CIT47 Carbon



CIT30 Ecru



CIT44 Hydro



CIT38 Copper



CIT46 Lapis



CIT49 Onyx



CIT45 Sage

GREENGUARD GOLD CERTIFIED®

content: 100% vinyl with 100% polyester backing
finish: enhanced soil and stain resistant top coat + ink resistance
repeat: none
durability: 100,000 double rubs
seam strength: 35 lbs. warp / 30 lbs. weft
flame retardance: ufac/nfpa class i, cal 117-2013 section 1, mvss 302
cleaning: w s



Stinson®
customerrelations@cfstinson.com
800.841.6279

Colors are as accurate as the printing process allows. To ensure color accuracy, please order a memo sample from the supplier using the contact information listed below or through HPFI at www.hpfi.com, literature@hpfi.com or fax 336.431.0673.

FREE

Pattern Scale Shown at 75%



09135289 Cocoa



09135300 Evening



09135311 Graphite



09135322 Oasis



09135355 Orbit



09135333 Pearl



09135344 Platinum

RECYCLED FIBER CONTENT; GREENGUARD GOLD CERTIFIED®

content: 100% post consumer recycled polyester
finish: soil & stain resistant
repeat: 5-3/8" l x 5" w
durability: 100,000 double rubs
seam slippage: 62 lbs. warp / 71 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s

MOMENTUM
T E X T I L E S

customerservice@momtex.com

800.366.6839

INVISION

VINYL

Pattern Scale Shown at 50%



INV-6206 Harbor



INV-6208 Caramel



INV-6207 Cayenne



INV-6204 Citron



INV-6209 Dark Latte



INV-6201 Honey



INV-6202 Putty



INV-6203 Sand



INV-6205 Tide

content: vinyl/urethane top coat
finish: SILVERGUARD® and PERMABLOK®
repeat: 18.0" h x 18.0" v
durability: 100,000 double rubs
seam strength: 45 lbs. warp / 33 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s (bleach cleanable 4:1)



WITH SPRADLING INTERNATIONAL...
...IT'S COVERED

sales@spradlingvinyl.com
800.333.0955

Colors are as accurate as the printing process allows. To ensure color accuracy, please order a memo sample from the supplier using the contact information listed below or through HPFI at www.hpfi.com, literature@hpfi.com or fax 336.431.0673.

KNACK



09129162 Berry



09113223 Brisk



09129184 Dark Roast



09129195 Filament



09129206 Glaze



09113245 Reed



09113267 Teak



09129217 Wave



09113278 Zest



09113289 Zing

GREENGUARD GOLD CERTIFIED®

content: 100% polyester
 finish: soil & stain resistant
 repeat: 1-5/8" l x 1-3/4" w
 durability: 100,000 double rubs
 seam slippage: 50 lbs. warp / 32 lbs. weft
 flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
 cleaning: w s

MOMENTUM T E X T I L E S

customerservice@momtex.com
 800.366.6839

LAREDO

VINYL



L11 Mosstone



L26 Blue Moon




L19 Brindle



L08 Chocolate



L13 Cinnabar



L09 Copen



L17 Deep Navy



L12 Pumice



L14 Meritage



L18 Onyx



L21 Quarry



L04 Tan

GREENGUARD CERTIFIED®

content: vinyl surface with knit backing
 finish: advanced soil and stain resistant top coat
 repeat: none
 durability: 250,000 double rubs
 seam strength: 50 lbs. warp / 25 lbs. weft
 flame retardance: ufac/nfpa 260 class 1, cal 117 section 1
 cleaning: w s



Stinson®

customerrelations@cfstinson.com
 800.841.6279

Colors are as accurate as the printing process allows. To ensure color accuracy, please order a memo sample from the supplier using the contact information listed below or through HPFI at www.hpfi.com, literature@hpfi.com or fax 336.431.0673.

LENS



09178310 Crimson



09178321 Graphite



09178298 Navy



09178288 Night



09178343 Sand



09178332 Silver



09178354 Terra

GREENGUARD GOLD CERTIFIED®

content: 81% Repreve® post consumer recycled polyester,
 19% recycled polyester
finish: soil & stain resistant
repeat: 10" l x 7.5" w
durability: 110,000 double rubs
seam slippage: 95.1 lbs. warp / 50.3 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w

LINEUP



09134981 Baltic



09134992 Fern



09135003 Pewter



09135014 Sandstone



09135025 Shadow



09135036 Spice



09135047 Tranquil

GREENGUARD GOLD CERTIFIED®

content: 100% post consumer recycled polyester,
finish: soil & stain resistant
repeat: 1.75" l x 3.75" w
durability: 100,000 double rubs
seam slippage: 141.0 lbs. warp / 100.0 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s

MOMENTUM
TEXTILES

customerservice@momtex.com
 800.366.6839

Colors are as accurate as the printing process allows. To ensure color accuracy, please order a memo sample from the supplier using the contact information listed below or through HPFI at www.hpfi.com, literature@hpfi.com or fax 336.431.0673.

SEQUINS

VINYL



SQN-0011 Brook




SQN-0016 Chocolate



SQN-0002 Copper



SQN-0008 Dandelion



SQN-0012 Dove



SQN-0013 Drift



SQN-0010 Endive



SQN-0003 Gold



SQN-0004 Java



SQN-0014 Mercury



SQN-0015 Meteorite



SQN-0017 Mulberry



SQN-0001 Shadow



SQN-0005 Snow

content: vinyl/urethane
finish: SILVERGUARD® and PERMABLOK3®
repeat: 0.625" h, 0.625" v
durability: 75,000 double rubs
seam strength: 21 lbs. warp / 16 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117-2013 section 1
cleaning: w s (bleach cleanable 4:1)



SILVERTEX

VINYL



STX-8820
Basil



STX-8837
Bazaar



STX-8817
Blackberry



STX-8821
Bottle



STX-8823
Carbon



STX-8819
Celery



STX-8808
Champagne



STX-8833
Creme de Menthe



STX-8838
Imperial



STX-8805
Jet



STX-8802
Lagoon



STX-8842
Lemoncello



STX-8811
Mandarin



STX-8801
Marine Blue



STX-8824
Meteor



STX-8825
Mocha



STX-8830
Neutra



STX-8804
Sapphire



STX-8840
Sterling



STX-8822
Storm



STX-8809
Taupe



STX-8803
Turquoise



STX-8814
Umber



STX-8841
Zest

content: vinyl/urethane topcoat
finish: SILVERGUARD® and PERMABLOK3®
repeat: none
durability: 100,000 double rubs
seam strength: 21 lbs. warp / 16 lbs. weft
flame retardance: ufac/nfpa 260 class 1, cal 117 section 1
cleaning: w s (bleach cleanable 10:1)



WITH SPRADLING INTERNATIONAL ...
 ...IT'S COVERED
sales@spradlingvinyl.com
 800.333.0955