

NOW





FABRIC OPTIONS

Grades as of June 11, 2025

Grades contingent on prevailing tariffs

HPFi





» Index

Grades as of June 11, 2025

Grades contingent on prevailing tariffs

Grade 2

- 3 Bravia
- 3 Dillon (32)
- 4 Dorset (21)
- 4 Yosemite (11)

Grade 3

- 5 Ego (9)
- 5 Equis (16)
- 6 Graph (13)
- 6 Hathaway (19)
- 7 Linette (16)
- 7 Origin (42)
- 8 Punch Card (14)
- 8 Scatter (9)
- 9 Utmost (11)
- 9 Viceroy (19)

Grade 4

- 10 Apprentice (11)
- 10 Box Chain (17)
- 11 Castillo (16)
- 11 Cross Check (20)
- 12 Foundation 10 (37)
- 12 Golly (22)
- 13 Kai (12)
- 13 Lara (58)
- 14 Quattro (18)
- 14 Staple (29)

Grade 5

- 15 Flanders (23)
- 15 Haute (11)
- 16 Lattice (10)
- 16 Midway (14)
- 17 Rumba (8)
- 17 Vista NFR (50)

Grade 6

- 18 Cover Cloth (24)
- 18 Criss Cross 2.0 (38)
- 19 Endurance EPU (36)
- 19 Evo CV (36)
- 20 Fedora (25)
- 20 Hopsack (18)
- 21 Silvertex NEO (37)
- 21 Tango (10)
- 22 Tribeca CV (20)
- 22 Vanguard CV (18)

Grade 7

- 23 Dexter EPU (13)
- 23 Level (9)
- 24 Mixer EPU (20)
- 24 Mixology (12)
- 25 Row (30)
- 25 Vector (9)

Grade 8

- 26 Caspian (14)
- 26 Curator (10)
- 27 Fidget (8)
- 27 Isle (6)
- 28 Riverstone (9)
- 28 Roadmap (8)

Grade 9

- 29 Arc (7)
- 29 Cycle (11)
- 30 Glimpse (8)
- 30 Scout (14)
- 31 Silica (59)
- 31 Upgrade (8)

Grade 10

- 32 Centric (12)
- 32 Haven (25)
- 33 Meteor (9)
- 33 Pebble Trail (8)
- 34 Tradewinds CV (8)
- 34 Voyager (23)

Grade L

- 35 Classico (3)
- 35 Baroque (1)
- 35 Mammut (2)



Look for this symbol for upholsteries best suited for healthcare applications.

Total number of available pattern colors in parenthesis.

Bravia • Additional Colors / Order Samples: culpcontract.com

grade **2**



Midnight




Gold



Dune



Emerald



Char



Sienna



Path



Cobalt



Slate


content: 98% Polyester, 2% Nylon
finish: i-Clean™ Stain & Moisture Repellent
repeat: Non-Matching
durability: 80,000 Double Rubs
seam slippage: 86 lbs. Warp / 84 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W**

CULP CONTRACT

contract@culp.com | 336.888.6274

Dillon • Additional Colors / Order Samples: culpcontract.com

grade **2**



Grape



Straw



Flax



Baltic



Steel



Chili



Stratus



Ocean



Lucid

content: 100% Polyurethane
finish: Antimicrobial - Silver Ion Technology
repeat: Non-Matching
durability: 200,000 Double Rubs
seam strength: 47 lbs. Warp / 55 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W** (Bleach Cleanable 5:1)

CULP CONTRACT

contract@culp.com | 336.888.6274

Dorset • Additional Colors / Order Samples: culpcontract.com


grade **2**



Camel



Taupe



Copper



Smoke Blue



Balsa



Platinum



Cayenne



Denim



Slate

content:

finish:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

100% Polyester

i-Clean™ Stain & Moisture Repellent

Non-Matching

55,000 Double Rubs

41 lbs. Warp / 38 lbs. Weft

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

W

CULP CONTRACT

contract@culp.com | 336.888.6274

Yosemite • Additional Colors / Order Samples: culpcontract.com

grade **2**



Chamois



Parchment



Penny



Ash



Earth



Light Brown



Oxblood



Silt



Raven

content:

finish:

repeat:

durability:

seam strength:

flame retardance:

cleaning:

100% Polyurethane with 70% Polyester,

30% Cotton Backing

Antimicrobial

Non-Matching

100,000 Double Rubs

61 lbs Warp / 68 lbs. Weft

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

W (Bleach Cleanable 5:1)

CULP CONTRACT

contract@culp.com | 336.888.6274


Ego

• Order Samples: momentumtextilesandwalls.com


grade **3**




Ginger



Twig




Jade



Spa




Midnight



Foil



Dove



Galena



Onyx

content:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

85% Polyester, 15% Viscose Rayon

Non-Matching

250,000 Double Rubs

67.8 lbs. Warp / 55.3 lbs. Weft

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

W S

Reduced Environmental Impact;

GREENGUARD Certified®, NSF 336 Compliant



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Equis

• Additional Colors / Order Samples: culpcontract.com

grade **3**



Saddle



Derby



Mint



Harbor



Cadet



Gelding



Statue



Sable



Noir

content:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

100% Polyurethane, Polyester Backing

Non-Matching

100,000 Double Rubs

61.0 lbs. Warp / 63.0 lbs. Weft

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

W

CULP CONTRACT


contract@culp.com | 336.888.6274

Graph • Additional Colors / Order Samples: momentumtextilesandwalls.com

grade **3**



Lapis



Ruby



Poppy



Parrot




Cork



Wave



Tidal



Alpine



Coal

content:

75% Repreve Post Consumer Recycled Polyester,
25% Polyester

finish:

Non-Matching

repeat:

7.5" l x 3.375" w

durability:

170,000 Double Rubs

seam slippage:

100.7 lbs. Warp / 89.9 lbs. Weft

flame retardance:

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

W S

Recycled Fiber Content; GREENGUARD Gold Certified®



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Hathaway

• Additional Colors / Order Samples: culpcontract.com

grade **3**



Tangerine



Lemon



Fire



Apple



Aqua



Ocean



Electric Blue



Cafe



Fog



Nickel

content:

100% Vinyl

finish:

Antimicrobial

repeat:

Non-Matching

durability:

100,000 Double Rubs

seam strength:

44 lbs. Warp / 53 lbs. Weft

flame retardance:

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

W (Bleach Cleanable 5:1)

CULP CONTRACT

contract@culp.com | 336.888.6274

Linette

Additional Colors / Order Samples: culpcontract.com

grade **3**



Platinum




Frost




Glaze



Glacier



Moss



Ash



Stone



Toffee



Waterscape



Mustard




Black




Steel



Cola



Denim



Flame


content: 100% Vinyl
finish: i-Clean™ Anti-Microbial
repeat: Non-Matching
durability: 100,000 Double Rubs
seam strength: 67 lbs. Warp / 69 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 5:1)

CULP CONTRACT


contract@culp.com | 336.888.6274

Origin • Additional Colors / Order Samples: momentumtextilesandwalls.com


grade **3**




Alloy




Gaia




Tide




Citron




Iron




Dune



Cyan




Eureka




Jet



Manta



Marina



Poppy

content: 100% Post Consumer Recycled Polyester
repeat: Non-Matching
durability: 282,000 Double Rubs
seam slippage: 88 lbs. Warp / 79 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W S

Reduced Environmental Impact; Recycled Fiber Content,
 GREENGUARD Gold Certified®, NSF 336 Compliant




MOMENTUM
 TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Punch Card • Additional Colors / Order Samples: culpcontract.com

grade **3**



Blue Jay



Citronelle



Red



Berry



Atlantic



Halo



Quartz



Dark Taupe



Shale

content:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:


61% Polyester, 39% Repreve® Recycled Polyester
7.5" H, 11"V
40,000 Double Rubs
40 lbs. Warp / 55 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
W

CULP CONTRACT


contract@culp.com | 336.888.6274

Scatter • Order Samples: momentumtextilesandwalls.com

grade **3**



Garnet



Spruce



Baltic




Caspian



Barley




Fossil



Pewter



Flint



Noir

content:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:

78% Polyester, 22% Post Consumer Recycled Polyester
Non-Matching
90,000 Double Rubs
57.0 lbs. Warp / 50.8 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
W S

Reduced Environmental Impact; ; Recycled Fiber Content,
GREENGUARD Certified®, NSF 336 Compliant



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Utmost • Order Samples: culpcontract.com


grade **3**




Starfish



Night



Tropical




Clover



Plum




Natural



Fleece



Meteor



Iron

content:

finish:

repeat:

durability:

seam strength:

flame retardance:

cleaning:

30% Repreve Recycled Polyester, 70% Polyester
i-Clean™ Stain & Moisture Repellent
1" H, 1.25" V
95,000 Double Rubs
53 lbs. Warp / 56 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
W

CULP CONTRACT

contract@culp.com | 336.888.6274

Viceroy • Additional Colors / Order Samples: culpcontract.com

grade **3**



Bravado



Gold



Winter



Mushroom



Charcoal



Bordeaux



Peacock



Ocean



Spruce

content:

finish:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

100% Polyurethane (Polycarbonate), Polyester Backing)
Antimicrobial
Non-Matching
200,000 Double Rubs
42 lbs. Warp / 71 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
W S

CULP CONTRACT

contract@culp.com | 336.888.6274

Apprentice • Additional Colors / Order Samples: cfstinson.com • Pattern Scale Shown at 50%

grade **4**



Mystic



Eucalyptus



Heron




Sisal



Ember



Classic



Phantom



Surfer



Raven


content: 100% Polypropylene
finish: None
repeat: Non-Matching
durability: 90,000 Double Rubs
seam strength: 66.0 lbs. Warp / 74.0 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W S** (Bleach Cleanable 19:1)
GREENGUARD Gold Certified®

Stinson®

customerrelations@cfstinson.com | 800.841.6279

Box Chain • Additional Colors / Order Samples: cfstinson.com


grade **4**



Amalfi



Evergreen



Pomelo



Stucco



Rose



Frost



Antelope



Stardust



Beluga

content: Vinyl Surface with Polyester Backing
finish: Advanced Soil and Stain Resistant Top Coat
repeat: Non-Matching
durability: 100,000 Double Rubs
seam strength: 46 lbs. Warp / 35 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W** (Bleach Cleanable 9:1)
GREENGUARD Certified®

Stinson®

customerrelations@cfstinson.com | 800.841.6279

Castillo

• Additional Colors / Order Samples: culpcontract.com

grade **4**



Red



Clementine



Honeydew



Breezy



Batik



Buttercream



Buff



Metal



Steel

content:

100% Polyurethane with 87% Polyester,
13% cotton backing

finish:

i-Clean™ Stain & Moisture Repellent

repeat:

Non-Matching

durability:

200,000 Double Rubs

seam slippage:

31 lbs. Warp / 58 lbs. Weft

flame retardance:

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

W (Bleach Cleanable 5:1)


CULP CONTRACT

contract@culp.com | 336.888.6274


Cross Check

• Additional Colors / Order Samples: mayerfabrics.com


grade **4**




Paradise




Sunshine



Red Baron




Lime




Peacock



Marine



Taupe



Dove



Platinum

content:

100% Polyester

finish:

Stain Repellent

repeat:

Non-Matching

durability:

258,000 Double Rubs

seam slippage:

55 lbs. Warp / 59 lbs. Weft

flame retardance:

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

S

GREENGUARD Certified®

MAYER FABRICS

customerservice@mayerfabrics.com | 800.428.4415

Foundation 10 • Additional Colors / Order Samples: mayerfabrics.com


grade **4**




Concord




Flame



Marmalade




Ochre




Buckskin



Sapphire



Aegean




Ocean



Capri



Blue Mist



Mercury



Graphite



Ebony

content:

finish:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:


65% Pre Consumer Recycled Polyester,
35% Post Consumer Recycled Polyester
Stain Repellent
Non-Matching
1,000,000 Double Rubs
55 lbs. Warp / 52 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
W S
GREENGUARD Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Golly • Additional Colors / Order Samples: culpcontract.com


grade **4**




Bisque




Brass



Armagnac



Red



Paprika




Tidepool



Turquoise



Waterloo



Rosemary




Silver



Porcini



Neutral



Urbane

content:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

100% Polyurethane (Polycarbonate), Polyester Backing)
Non-Matching
195,000 Double Rubs
70 lbs. Warp / 44 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
W S (Bleach Cleanable 5:1)

CULP CONTRACT

contract@culp.com | 336.888.6274

Kai • Additional Colors / Order Samples: culpcontract.com • Pattern Scale Shown at 25%

grade **4**




Morel




Pharaoh



London




Gypsum



Celadon



Seashell



Sachet



Basalt



Mercury

content:

finish:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

100% Polyester with Synthetic Latex Backing

i-Clean™ Stain & Moisture Repellent

13.19" H x 10.31" W

100,000 Double Rubs

63 lbs. Warp / 85 lbs. Weft

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

W

CULP CONTRACT

contract@culp.com | 336.888.6274

Lara • Additional Colors / Order Samples: cfstinson.com

grade **4**




Cashew




Marigold




Miso



Marmalade




Port




Tranquil




Patriot




Wizard




Sherwood




Gate



Mink



Kitten



Pitch

content:

finish:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

Non-Phthalate Vinyl Surface with Polyester Backing

Advanced Soil and Stain Resistant Top Coat

Non-Matching / Directional

Exceeds 1,300,000 Double Rubs

35 lbs. Warp / 30 lbs. Weft

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

W (Bleach Cleanable 9:1)

GREENGUARD Certified®

Stinson®


customerrelations@cfstinson.com | 800.841.6279

Quattro • Additional Colors / Order Samples: mayerfabrics.com


grade **4**



Skyway




Spring Green




Hibiscus



Violet



Mallard



Umber



Pumice



Khaki



Granite

content: 100% Polyester
finish: Stain Repellent
repeat: Non-Matching
durability: 237,000 Double Rubs
seam slippage: 65 lbs. Warp / 91 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **S**
GREENGUARD Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Staple • Additional Colors / Order Samples: cfstinson.com


grade **4**



Paprika



Camel



Mist



Twilight



Voyage



Malt



Smith



Academy



Nautical

content: 100% Polyurethane (polycarbonate & Polyester resins, Polyester, cotton backing)
finish: enhanced soil and stain resistance
durability: 200,000 Double Rubs
seam strength: 61 lbs. Warp / 81 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W S** (Bleach Cleanable 4:1)
Reduced Environmental Impact

Stinson®

customerrelations@cfstinson.com | 800.841.6279


Flanders

• Additional Colors / Order Samples: cfstinson.com

grade **5**



Shore




Ginger



Lifesaver




Salsa



Voyage




Gecko



Hula




Seaside



Bermuda



Tiki



Slate



Charcoal



Cocoa

content:

finish:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

100% Vinyl with Polyester Backing

Advanced Soil & Stain Resistant Top Coat

Non-Matching

250,000 Double Rubs

58.5 lbs. Warp / 46.2 lbs. Weft

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

W S (Bleach Cleanable 9:1)

GREENGUARD Certified®

Stinson®

customerrelations@cfstinson.com | 800.841.6279


Haute

• Order Samples: culpcontract.com

grade **5**



Sanderling



Foggy



Kelp




Autumn




Weathered



Toadstool



Caviar



Char



Night Light

content:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

100% Polyester

Non-Matching

95,000 Double Rubs

60 lbs. Warp / 71 lbs. Weft

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

W

CULP CONTRACT


contract@culp.com | 336.888.6274

Lattice


• Order Samples: cfstinson.com • Pattern Scale Shown at 50%




Fresco



Rosewood



Bayou



Sage



Buckwheat




Goldfinch



Clay



Skipper



Grove



Metro

content:
finish:
repeat:
durability:
seam strength:
flame retardance:
cleaning:

Non-Phthalate Vinyl Surface with Polyester Backing
Advanced Soil and Stain Resistant Top Coat
18" H x 18" V, Non-Matching / Directional
Exceeds 1,300,000 Double Rubs
35 lbs. Warp / 30 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
W (Bleach Cleanable 9:1)
GREENGUARD Certified

Stinson®

customerrelations@cfstinson.com | 800.841.6279


grade **5**

Midway


• Additional Colors / Order Samples: mayerfabrics.com



Sand



Sunshine




Haze



Spa




Wheat



Persimmon



Indigo



Algae



Storm

content:

finish:
repeat:
durability:
seam strength:
flame retardance:
cleaning:

80% Phthalate-Free Vinyl Facing,
20% Polyester Backing
Soil & Stain Resistant Top Coat with Ink-Resistance
18" H, 18" V
1,300,000 Double Rubs
35 lbs. Warp / 30 lbs. Weft
UFAC/NFPA 260 class 1, CAL 117-2013 Section 1
W CFC (Bleach Cleanable 4:1)
GREENGUARD Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

grade **5**

Rumba • Additional Colors / Order Samples: mayerfabrics.com • Pattern Scale Shown at 50%

grade **5**



Cinnabar



Butterscotch



Lime



Spa



Cobalt



Bisque



Abalone



Fossil



Char

content: 100% Polyester
finish: PFAS-Free Stain Repellent
repeat: 3.7" H, 6.625" V
durability: 55,000 Double Rubs
seam slippage: 87.0 lbs. Warp / 44.0 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: S

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Vista NFR



• Additional Colors / Order Samples: omnova.com


grade **5**




Dijon



Cardinal



Chervil



Azure




Sandstone



Shale




Seville



Flamenco



Keylime




Sprite




Portobello




City Grey



Nutmeg




Empire



Aloe



Huron



Grounded



Licorice

content: 100% Vinyl with Polyester Backing
finish: PreFixx Soil & Stain Resistant Top Coat
repeat: Non-Matching
durability: 1,300,000 Double Rubs
seam strength: 40 lbs. Warp / 40 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: CFC BC (Bleach Cleanable 9:1)

OMNOVA
A Division of **SURTECO**


Cover Cloth

• Additional Colors / Order Samples: momentumtextilesandwalls.com


grade **6**




Fuchsia




Cyan




Antique




Oat




Platinum




Indigo



Navel




Taupe



Vesper



Bouquet



Flame



Coffee



Graphite

content:

56% Repreve® Post Consumer Recycled Polyester,
44% Polyester

finish:

Crypton Green®

repeat:

Non-Matching

durability:

200,000 Double Rubs

seam slippage:

71 lbs. Warp / 49 lbs. Weft

flame retardance:

UFAC/NFPA 260 class 1, CAL 117-2013 Section 1

cleaning:

W (Bleach Cleanable 9:1)

Recycled Fiber Content; GREENGUARD Gold Certified®




MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839


Criss Cross 2.0

• Additional Colors / Order Samples: cfstinson.com • Pattern Scale Shown at 50%

grade **6**




Graystone




Stucco



Desert




Orange




Red



Navy



Meadow



Mineral



Abyss

content:

Non-Phthalate Vinyl Surface with Polyester Backing
Advanced Soil and Stain Resistant Top Coat

finish:

Non-Matching / Directional

repeat:

Exceeds 500,000 Double Rubs

durability:

60 lbs. Warp / 40 lbs. Weft

seam strength:

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

flame retardance:

W S (Bleach Cleanable 9:1)

cleaning:

GREENGUARD Certified®

Stinson®

customerrelations@cfstinson.com | 800.841.6279

[online contact form](http://onlinecontactform.com) | 800.457.9900

Endurance EPU



Additional Colors / Order Samples: momentumtextilesandwalls.com

grade 6



Copper



Claret



Sprout



Smith



Plum



Cascade



Neptune



Azure



Lapis



Ink



Taupe



Gull



Armor



Jetty



Nordic

content:
repeat:
durability:
seam strength:
flame retardance:
cleaning:

100% EPU Polyurethane
Non-Matching
1,000,000 Double Rubs
100 lbs. Warp / 95.4 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
W (Bleach Cleanable 4:1)
Reduced Environmental Impact; GREENGUARD Certified®
PVC Free



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Evo CV



Additional Colors / Order Samples: momentumtextilesandwalls.com

grade 6



Tangelo



Scarlet



Zest



Kelly



Regal



Aqua



Bluet



Cyan




Skylar



Bluestar




Ash



Putty



Mink



Jetty



Ram

content:
finish:
repeat:
durability:
seam strength:
flame retardance:
cleaning:

100% Clean Vinyl / Phthalate Free
Protective Overcoat®
Non-Matching
1,000,000 Double Rubs
80.1 lbs. Warp / 68 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
W S (Bleach Cleanable 10:1)
GREENGUARD Certified®



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Fedora • Additional Colors / Order Samples: mayerfabrics.com

grade 6



Winter



Topaz



Tangelo



Tomato



Persimmon



Opal



Aegean



Indigo



Cactus



Light Grey



Fawn



Pewter



Charcoal

content: 100% Polyester
finish: Non-PFOA Stain Repellant
repeat: Non-Matching
durability: 100,000 Double Rubs
seam slippage: 106.1 lbs. Warp / 109.2 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W

GREENGUARD Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Hopsack • Additional Colors / Order Samples: cfstinson.com

grade 6



Bamboo



Bahama



Cori



Fjord



Willow



Alloy



Carbon



Koi



Cinnabar

content: 100% Vinyl Face with 100% Polyester Backing
finish: Advanced Soil & Stain Resistant Top Coat
repeat: Non-Matching
durability: 100,000 Double Rubs
seam slippage: 46 lbs. Warp / 35 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 9:1)

GREENGUARD Certified®

Stinson®

customerrelations@cfstinson.com | 800.841.6279

Silvertex Neo



• Additional Colors / Order Samples: www.douglassfabrics.com

grade 6



Limoncello



Imperial




Celery




Marine Blue



Champagne




Plata




Bazaar



Borscht



Creme de Menthe



Turquoise



Taupe



Sterling



Umber



Blackberry



Basil



Sapphire



Mocha



Carbon

content:

finish:

repeat:

durability:

seam strength:

flame retardance:

cleaning:

Vinyl with Urethane Top Coat

Soil & Stain Resistant Top Coat

Non-Matching

100,000 Double Rubs

46 lbs. Warp / 35 lbs. Weft

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

CFC BC (Bleach Cleanable 9:1)

DOUGLASS
FABRICS

sales@dougind.com | 800.950.3684

Tango

• Additional Colors / Order Samples: mayerfabrics.com • Pattern Scale Shown at 50%

grade 6



Harbor



Coral



Sangria



Limeade



Surfside



Sunrise



Raspberry



Flint



Skyline

content:

finish:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

100% Polyester

PFOA & PFOS-free stain repellent

4.8" l x 4.8" w

80,000 Double Rubs

96 lbs. Warp / 84 lbs. Weft

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

S


GREENGUARD Gold Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Tribeca CV • Additional Colors / Order Samples: momentumtextilesandwalls.com

grade **6**



Cloud




Cane



Rubine



Lichen



Airy



Mariner



Plume

content:
finish:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:

100% Clean Vinyl / Phthalate Free
Protective Overcoat®
Non-Matching
100,000 Double Rubs
42 lbs. Warp / 46 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
W (Bleach Cleanable 10:1)
GREENGUARD Certified® PVC Free




MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

[Back to Index](#)

Vanguard CV • Additional Colors / Order Samples: momentumtextilesandwalls.com


grade **6**



French




Cream



Autumn




Sprout



Calico



Polarix



Spruce

content:
finish:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:

100% Clean Vinyl / Phthalate Free
Protective Overcoat®
Non-Matching
100,000 Double Rubs
42 lbs. Warp / 46 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
W (Bleach Cleanable 10:1)
GREENGUARD Certified® PVC Free



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839


Dexter EPU

• Additional Colors / Order Samples: momentumtextilesandwalls.com

grade **7**



Haute



Truffle



Fresco




Tango



Fig



Splash



Baltic



Pumice



Flint

content:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:

100% EPU Polyurethane
9.5" H, 20" V
285,000 Double Rubs
61.8 lbs. Warp / 57.5 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013, IMO Part 8
W (Bleach Cleanable 4:1)
GREENGUARD Certified®



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Level

• Order Samples: cfstinson.com • Pattern Scale Shown at 50%


grade **7**



Mojito




Bavaria



Slate



Earth



Aegean



Lapis



Tea



Shadow

content:
finish:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:


Vinyl Surface with Polyester Backing
Advanced Soil & Stain Resistant Top Coat
4.625" H, 8.625" V
1,300,000 Double Rubs
35 lbs. Warp / 30 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
W (Bleach Cleanable 9:1)
GREENGUARD Certified®

Stinson®

customerrelations@cfstinson.com | 800.841.6279

Mixer EPU • Additional Colors / Order Samples: momentumtextilesandwalls.com

grade **7**



Sunset



Golden Hour



Vermillion



Clover



Cove



Sugar



Pewter



Tidal



Basalt

content:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:

100% EPU Polyurethane
Non-Matching
130,000 Double Rubs
64.5 lbs. Warp / 57.6 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013
W S (Bleach Cleanable 4:1)
GREENGUARD Certified®



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Mixology CV • Additional Colors / Order Samples: momentumtextilesandwalls.com

grade **7**



Fresco




Tea Leaf



Bamboo



Cascade




Bluet




Chalice



Grotto



Chambray



Nightlife

content:
finish:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:

100% Clean Vinyl / Phthalate Free
Protective Overcoat®
27" H, 0.125" V
250,000 Double Rubs
100.6 lbs. Warp / 101.9 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013, IMO Part 8
W S (Bleach Cleanable 10:1)
GREENGUARD Gold Certified®




MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Row • Additional Colors / Order Samples: momentumtextilesandwalls.com


grade **7**



Wheat



Shale



Marigold



Waltz



Sage




Coffee



Auburn



Fjord



Willow

content:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:

100% Polyurethane / PVC Free
Non-Matching
500,000 Double Rubs
110 lbs. Warp / 84 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
W (Bleach Cleanable 4:1)
GREENGUARD Certified® PVC Free



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Vector • Order Samples: cfstinson.com • Pattern Scale Shown at 25%


grade **7**




Lime




Spice




Segment




Parallel




Blue




Suede



Angle



Ray



Intersect

content:
finish:

repeat:
durability:
seam slippage:
flame retardance:
cleaning:

Phthalate-Free Vinyl Face with Polyester Backing
Advanced Soil and Stain Resistant Top Coat + Ink Resistance
11.25" H, 11.875" V
100,000 Double Rubs
46 lbs. Warp / 35 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
W S BC (Bleach Cleanable 9:1)
GREENGUARD Certified®

Stinson®

customerrelations@cfstinson.com | 800.841.6279

Caspian • Additional Colors / Order Samples: mayerfabrics.com • Pattern Scale Shown at 50%

grade 8



Jungle



Spring



Tangelo



Sunset



Marine




Almond



Mineral



Mushroom



Cinder

content:

76% Polyester/24% SEAQUAL® (Post-Consumer Recycled Polyester)

finish:

PFAS-Free Stain Repellent

repeat:

0.125" H, 2.5" V

durability:

100,000 Double Rubs

seam slippage:

89.0 lbs. Warp / 125.0 lbs. Weft

flame retardance:

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

W S BC (Bleach Cleanable 9:1)

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Curator • Additional Colors / Order Samples: mayerfabrics.com • Pattern Scale Shown at 50%

grade 8



Ink



Mulberry



Umber



Juniper



Metal



Onyx



Spearmint



Ruby

content:

100% Polyester

finish:

Crypton® with Antimicrobial Silver Ion Technology

repeat:

Directional, Non-Matching

durability:

100,000 Double Rubs

seam slippage:

108.0 lbs. Warp / 150.1 lbs. Weft

flame retardance:

UFAC/NFPA 260 Class 1, CAL 117-2013

cleaning:

C W BC (Bleach Cleanable 10:1)

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Fidget • Order Samples: cfstinson.com • Pattern Scale Shown at 25%

grade 8



Infrared



Moonbeam



Zeal



Seaport



Garnet



Voyager



Adventure



Valley

content: 70% Polyester, 30% Nylon with Acrylic Backing
finish: Non-Fluorine Stain Resistant
repeat: 14.125" H, 14.25" V
durability: 100,000 Double Rubs
seam slippage: 47.1 lbs. Warp / 73.3 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 4:1)
GREENGUARD Gold Certified®

Stinson®

customerrelations@cfstinson.com | 800.841.6279

Isle • Order Samples: concertex.com

grade 8




Tinsel



Fog



Shiitake



Branch



Nori



Barista


content: 100% Vinyl / Phthalate Free
finish: Graffiti-Free®
repeat: Non-Matching
durability: 300,000 Double Rubs
seam slippage: xx.x lbs. Warp / xx.x lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Sec. 1, IMO A652 (16) 8.2
cleaning: W S (Bleach Cleanable 10:1)
GREENGUARD Certified®

Concertex

info@concertex.com | 888.395.2399

grade **8**


Roadmap • Order Samples: cfstinson.com • Pattern Scale Shown at 25%




Wave




Haze



Smart




Mambo



Sketch



Gotham



Tropic



Kiss

content: 80% Post-Consumer Recycled Polyester, 20% Polyester
finish: Non-Fluorine Stain Resistant
repeat: 13.75" H, 18.25" V
durability: 75,000 Double Rubs
seam slippage: 98.2 lbs. Warp / 94.4 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W S** (Bleach Cleanable 9:1)
GREENGUARD Gold Certified®

Stinson®

customerrelations@cfstinson.com | 800.841.6279

grade **8**

Riverstone • Order Samples: cfstinson.com • Pattern Scale Shown at 25%



Bridge



Mineral



Stream



Water



Beryl



Bayou



Slate

content: Phthalate-Free Vinyl Face with Polyester Backing
finish: Advanced Soil and Stain Resistant Top Coat + Ink Resistance
repeat: 16.875" H, 8" V (Non-Matching Directional)
durability: 1,30,000 Double Rubs
seam slippage: 35.0 lbs. Warp / 30.0 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W** (Bleach Cleanable 9:1)
GREENGUARD Gold Certified®

Stinson®

customerrelations@cfstinson.com | 800.841.6279

Arc • Additional Colors / Order Samples: mayerfabrics.com • Pattern Scale Shown at 25%


grade **9**




Turquoise



Sapphire




Topaz




Emerald




Granite



Steel



Limestone



Fig

content: 100% Post Consumer Recycled Polyester
finish: PFAS-Free Stain Repellent
repeat: 7.25" H, 11.75" V
durability: 60,000 Double Rubs
seam strength: 87.0 lbs. Warp / 96.0 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W S BC** (Bleach Cleanable 9:1)

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Cycle • Additional Colors / Order Samples: cfstinson.com • Pattern Scale Shown at 25%

grade **9**



Twirl



Curl



Wheel



Spiral



Bangle



Track



Rotate



Loop



Spin

content: 100% Polyester
finish: Advanced Soil & Stain Resistant Top Coat
repeat: 14.0" H, 16.375" V
durability: 100,000 Double Rubs
seam slippage: 52.1 lbs. Warp / 58.7 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W** (Bleach Cleanable 10:1)
GREENGUARD Gold Certified®

Stinson®


customerrelations@cfstinson.com | 800.841.6279

Glimpse • Order Samples: cfstinson.com • Pattern Scale Shown at 25%

grade 9



Zen




Splash




Vivid




Legend



Apple



Sonic



Cordial



Pier

content: 65% Polyester, 32% Cotton
finish: Non-Fluorine Stain Resistant
repeat: 14.0" H, 23.125" V
durability: 100,000 Double Rubs
seam slippage: 134 lbs. Warp / 103 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: S
GREENGUARD GOLD Certified®

Stinson®


customerrelations@cfstinson.com | 800.841.6279

Scout • Additional Colors / Order Samples: mayerfabrics.com • Pattern Scale Shown at 50%

grade 9



Flax



Steel



Brass



Sky



Shamrock



Earth



Campfire



Anchor



Everglade

content: 91% Polyester, 7% Polyurethane, 2% Silicone
finish: Supreen (Silicone)
repeat: 0.275" H, 0.275" V
durability: 100,000 Double Rubs
seam slippage: 88.5 lbs. Warp / 89.5 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W S BC (Bleach Cleanable 9:1)
GREENGUARD Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Silica

• Additional Colors / Order Samples: momentumtextilesandwalls.com

grade **9**



Sands



Tropic



Appletini



Lemon



Shale




Regatta



Dewpoint



Marigold



Breakwater




Bright Night



Surf



Dare



Gallant

content:
repeat:
durability:
seam strength:
flame retardance:
cleaning:

100% Silicone
Non-Matching
365,000 Double Rubs
71 lbs. Warp / 79 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
W S (Bleach Cleanable 4:1)
GREENGUARD Gold Certified®; PVC Free



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Upgrade • Order Samples: cfstinson.com • Pattern Scale Shown at 25%

grade **9**



Max



Melon



Citrus



Rocket



Brightside



Multi



Perk



Luxe

content:

55% Polyester, 29% Nylon,
6% Post-Consumer Recycled Polyester

repeat:

14" H, 13.5" V

durability:

100,000 Double Rubs

seam strength:

71.4 lbs. Warp / 108.7 lbs. Weft

flame retardance:

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

W S (Bleach Cleanable 10:1)
GREENGUARD Gold Certified®


Stinson®

customerrelations@cfstinson.com | 800.841.6279

Centric

• Additional Colors / Order Samples: mayerfabrics.com • Pattern Scale Shown at 50%

grade **10**




Grotto



Meadow



Cinnamon




Denim



Mocha



Ink



Ruby



Dew



Shale

content:
finish:
repeat:
durability:
seam strength:
flame retardance:
cleaning:

81% Polyester/19% Post-Consumer Recycled Polyester
Crypton® with antimicrobial Silver Ion technology
2.5" H, 1.375" V
102,000 Double Rubs
84 lbs. Warp / 90 lbs. Weft
UFAC/NFPA 260 class 1, CAL 117-2013 Section 1
C W BC (Bleach Cleanable 9:1)
GREENGUARD Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Haven • Additional Colors / Order Samples: mayerfabrics.com

grade **10**



Ruby



Butterscotch



Peridot



Iceberg



Gravel




Apricot



Ocean



Grey



Iron

content:
finish:
repeat:
durability:
seam strength:
flame retardance:
cleaning:

92% Polyester, 6% Polyurethane, 2% Silicone
Supreen (Silicone) PFC/PFOA-Free
Non-Matching, Directional
100,000 Double Rubs
87.5 lbs. Warp / 99.5 lbs. Weft
UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
W S BC (Bleach Cleanable 9:1)
GREENGUARD Gold Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Meteor • Order Samples: cfstinson.com • Pattern Scale Shown at 25%

grade **10**



Cobalt



March



Terra



Cliff



Moonstone



Vessel



Rain



Nomad



Pastoral


content: Non-Phthalate Vinyl Surface with Polyester Backing
finish: Advanced Soil & Stain Resistant Top Coat
repeat: 13.125" H, 11.875" V
durability: 100,000 Double Rubs
seam slippage: 46 lbs. Warp / 35 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W BC** (Bleach Cleanable 9:1)
GREENGUARD Certified®

Stinson®

customerrelations@cfstinson.com | 800.841.6279

Pebble Trail • Order Samples: cfstinson.com • Pattern Scale Shown at 25%


grade **10**



Celadon



Beach




Calm



Driftwood



Delta



Tranquil



Aquifer



Huron

content: Non-Phthalate Vinyl Surface with Polyester Backing
finish: Advanced Soil & Stain Resistant Top Coat + Ink & Denim Resistance
repeat: 13.5" H, 9" V, Directional
durability: 100,000 Double Rubs
seam slippage: 46 lbs. Warp / 35 lbs. Weft
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W** (Bleach Cleanable 9:1)
GREENGUARD Gold Certified®

Stinson®

customerrelations@cfstinson.com | 800.841.6279

Tradewinds CV



• Order Samples: momentumtextilesandwalls.com • Pattern Scale Shown at 50%

grade **10**



Morel



Cane



Pumice




Cocoa



Tropic



Dew



Serene



Galena

content:

finish:

repeat:

durability:

seam strength:

flame retardance:

cleaning:

100% Clean Vinyl / Phthalate Free

Protective Overcoat®

9" H, 8.75" V

200,000 Double Rubs

46.0 lbs. Warp / 39.0 lbs. Weft

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8

W S (Bleach Cleanable 10:1)

GREENGUARD Gold Certified®; PVC Free



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Voyager

• Additional Colors / Order Samples: mayerfabrics.com • Pattern Scale Shown at 50%

grade **10**




Arctic Blue



Mineral



Turquoise



Henna



Nutmeg



Quartz



Aegean



Silver



Flint

content:

finish:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

62% Polyurethane (Polycarbonate Resins), 3% Silicone face,
35% Polyester Backing

Write-Away® Soil & Stain Resistant Top Coat with
Ink Resistant Technology

Non-Matching

755,000 Double Rubs

59.5 lbs. Warp / 62.4 lbs. Weft

UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1, AB 2998

WS CFC BC (Bleach Cleanable 9:1)

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Classico Leather



Black



Chocolate



Henna

content: Top Grain Dyed Cow Hide
finish: Semi-Aniline
repeat: Non-Matching
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W**

Baroque Leather



AL04 Burgandy



AL05 Midnight


content: Top Grain, Semi-Aniline Dyed Cow Hide
finish: Two-Tone Savage with Clear Coat
repeat: Non-Matching
flame retardance: UFAC/NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W**

Mammut Leather






AL19 Navy

content: Top Grain, Semi-Aniline Dyed Cow Hide
finish: Water-Based Top Coat
repeat: Non-Matching
flame retardance: CAL 117-2013 Section 1
cleaning: **W**



Grades as of June 11, 2025
Grades contingent on prevailing tariffs



HPFi